

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kurt M. Berger (Reg. No. 51, 461) on 07/10/2010.

#### **Amended claim 21 as follows:**

At line 1, after "A" insert "non-transitory"

### **REASONS FOR ALLOWANCE**

2. Claims 1, 4-7, 10-11, 14-17, 20-21, 24-27 and 30 are allowed over prior art record. The claims will be renumbered 1-18 for issue.
3. The following is an examiner's statement of reasons for allowance: None of references disclose or fairly suggest, among other thing, "*plural surface area values or plural volume values calculated at corresponding plural scales associated with a texture of a parenchyma of the breast and applying, by image processing device, said plural surface area values or said plural volume values directly as input to at least one of a linear discriminant classifier and artificial neural network classifier*" (in claims 1, 11, 21). It is for this reason and in combination with all of the other elements of the claims, that claims 1, 4-7, 10-11, 14-17, 20-21, 24-27 and 30 are allowed over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should

Art Unit: 2624

preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Conclusion***

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to AKLILU k. WOLDEMARIAM whose telephone number is (571)270-3247. The examiner can normally be reached on Monday-Thursday 6:30 a.m-5:00 p.m EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bali Vikkram can be reached on 571-272-7415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DANIEL G MARIAM/  
Primary Examiner, Art Unit 2624

Application/Control Number: 10/777,041

Page 4

Art Unit: 2624

/A. k. W./

Patent Examiner, Art Unit 2624

07/14/2010